Beverage Equipment

INTRODUCTION. Glen Dimplex Professional Appliances (GDPA) is a division of Glen Dimplex Home Appliances. GDPA manufactures Burco commercial catering products and is dedicated to producing products designed specifically for commercial environments.

GDPA is committed to a policy of continuous investment in the Burco brand, constant product innovation and providing a premium level of service to all of its customers.

This premium level of service includes the support of a specialised team of nationwide service engineers so that in the unlikely event of a problem, you are assured of a swift and knowledgeable response.

Burco beverage products include a 12 month parts and labour warranty.

We are committed to delivering our products to you both quickly and safely. Our aim is to provide standard delivery within 3 working days (ex. Stock). In order to facilitate a prompt delivery please ensure that you provide us with a full address (inc. postcode), contact name and telephone number.

Contents

Manual Fill	4-5
Electric Boilers	6-7
Cool-to-touch & Catering Kettles	8-9
Gas Boilers	10-11
Auto Fill	12-13
Counter Top	14-15
Wall Mounted	16-17
Coffee	18-19
Auto Fill, Manual Fill & Percolator	20-21
Specifications	22

MANUAL FILL. Burco are the leading manufacturer of manual fill water boilers in the UK. We offer products suitable for a variety of environments from small offices to commercial kitchens. Our manual fill boilers are available in electric or gas, and in sizes as compact as 2.5 litres or as large as 30 litres. So, whether it's for a mobile catering unit, a sport stadium or a busy café, we have a boiler to meet your requirements.

Temperature Control

All electric manual fill boilers feature a thermostatic control enabling the user to run a more efficient water boiling solution.

Safety

Our range of electric safety boilers and LPG gas boilers features a unique patented safety locking tap protecting you, your staff and your customers. A flush lid handle with finger tip guard on the larger electric boilers protects hands from steam and hot lid surfaces.

Design

A stylish stainless steel design makes Burco manual fill boilers and kettles look good in any location.

Ease of use

Flat elements across our electric water boiler range makes cleaning and de-scaling easier, while ergonomic handles on our kettles give a comfortable grip for pouring.

Electric boilers

Designed for front or back of house use, Burco electric safety boilers have all the features you could possibly expect and give piece of mind with unparalleled safety features protecting you, your staff and your customers. A stylish and robust stainless steel design ensures they will look good in any catering environment.

Safety

- A unique patented safety locking tap – an easy to use, non-drip tap with a built-in locking mechanism
- A safety plastic lid handle – protects your hand from steam and hot water when lifting the lid and the domed reverse helps return condensation drips to the body of the water
- Boil dry safety cut out with manual re-set to protect the unit from damage if it is operated when empty.
- Fully EMC tested and CE marked

Temperature Control

- A thermostatic control enables the user to run a more cost effective water boiling solution

Ease of use

- Flat elements mean cleaning and de-scaling is easy
- Handles make transporting your water boiler when not in use or containing water, easy
- A neon indicator shows the user that the boiler is on

Choice

- Available in 10, 20 and 30 litres

C10

SKU number	444448528
Capacity (litres)	10
Product dimensions (mm)	305w x 380h x 335d
Packed dimensions (mm)	340w x 440h x 340d
Product weight (kg)	3.0
Packed weight (kg)	3.8
Heating time (mins)	25



C20

SKU number	444448529
Capacity (litres)	20
Product dimensions (mm)	390w x 380h x 420d
Packed dimensions (mm)	450w x 400h x 450d
Product weight (kg)	4.1
Packed weight (kg)	5.1
Heating time (mins)	45



C30

SKU number	444448530
Capacity (litres)	30
Product dimensions (mm)	390w x 480h x 420d
Packed dimensions (mm)	450w x 510h x 450d
Product weight (kg)	4.5
Packed weight (kg)	6.0
Heating time (mins)	70



C10

C20

C30

Cool-to-touch & catering kettles

The front of house catering range of boilers and kettles from Burco are ideal for environments where only a small amount of water boiling is required. Whether it's for your office, kitchen, meeting room or hotel, the cool to touch front of house boilers and easy to use catering kettles will meet your expectations.

C2T & C8T features

- A stylish cool to touch stainless steel body, ideal for front of house use
- Fully variable thermostatic control allows for more efficient water boiling
- A safety twist lock lid with integral handles protects customers and caterers from escaping steam
- Neon indicator lights show when the element is on and when the unit is up to temperature
- Boil dry safety cut out with manual re-set to protect the unit from damage if it is operated when empty
- A Dual function, non-drip dispensing tap gives greater safety
- Concealed elements make cleaning and de-scaling easy
- Fully EMC tested and CE marked
- Available in 2.5 or 8 litres

2L & 4L kettle features

- Keep warm element means re-boiling takes only moments (4 litre only)
- Concealed element for ease of cleaning and de-scaling (4 litre only)
- Ergonomically designed moulded handles and a secondary handle (4 litre only) makes handling and control, easy
- Robust stainless steel construction and traditional British kettle design
- Non-slip feet and detachable power cord for greater safety
- Illuminated On/Off switch
- Can boil less than 1 litre of water at a time
- Fully EMC tested and CE marked
- Available in 2 or 4 litres

C2T

SKU number	444448536
Capacity (litres)	2.5
Product dimensions (mm)	250w x 315h x 245d
Packed dimensions (mm)	275w x 435h x 275d
Product weight (kg)	1.8
Packed weight (kg)	2.7
Heating time (mins)	7

C8T

SKU number	444448535
Capacity (litres)	8
Product dimensions (mm)	250w x 530h x 245d
Packed dimensions (mm)	270w x 590h x 230d
Product weight (kg)	3.0
Packed weight (kg)	3.9
Heating time (mins)	20



2L KETTLE

SKU number	444448552
Capacity (litres)	2
Product dimensions (mm)	270w x 225h x 190d
Packed dimensions (mm)	212w x 232h x 212d
Product weight (kg)	1.0
Packed weight (kg)	1.2
Heating time (mins)	5



4L KETTLE

SKU number	444448553
Capacity (litres)	4
Product dimensions (mm)	310w x 305h x 230d
Packed dimensions (mm)	270w x 325h x 270d
Product weight (kg)	1.8
Packed weight (kg)	2.2
Heating time (mins)	8



C2T

C8T

2L Kettle

4L Kettle

Gas Boilers

Whether you are a roadside mobile caterer or an outdoor caterer at a festival, we will have a gas boiler to meet your requirements. With all of the features you would expect to see from the market leader in manual fill boilers, our LPG gas products offer choice, robust construction and most of all piece of mind.

Safety

- A unique patented safety locking tap – an easy to use, non-drip tap with a built-in locking mechanism
- Safety flame supervision device

Design

- Designed for portable use, ideal for outdoor caterers (standard only)
- Securable feet for fixed installation, ideal for mobile caterers (deluxe only)
- Dual wall technology – uses the gases as well as the flame to heat the water for enhanced efficiency and speed of boiling
- Robustly constructed from stainless steel for maximum durability
- 20 litre capacity

Ease of use

- Piezo ignition for ease of use and safety (deluxe only)
- Flat interior to make cleaning and de-scaling easier

Choice

- Propane and butane operation
- Standard or deluxe

GAS STANDARD

SKU number	444448538
Capacity (litres)	20
Product dimensions (mm)	340w x 565h x 425d
Packed dimensions (mm)	605w x 380h x 400d
Product weight (kg)	5.7
Packed weight (kg)	7.0
Heating time (mins)	50



GAS DELUXE

SKU number	444448539
Capacity (litres)	20
Product dimensions (mm)	340w x 565h x 425d
Packed dimensions (mm)	605w x 380h x 400d
Product weight (kg)	5.7
Packed weight (kg)	7.0
Heating time (mins)	50



Gas Standard

Gas Deluxe

AUTO FILL. **Designed for maximum ease of use, the auto fill boiler range from Burco is easy to use, easy to install, easy to maintain and easy to service. Available in a range of sizes and two designs, these stylish auto fill boilers are suitable for a range of environments from a communal kitchen in a workplace to a busy restaurant.**

Ease of use

Designed with ease of use in mind, our auto fill boilers have many features making them easy to use, install, maintain and service.

Design

Attractive and robust, the two-tone stainless steel design ensures the auto fill boilers look good in any catering environment.

Safety

A unique patented safety locking tap protects you, your staff and your customers from accidental operation, and in the unlikely event of the unit overflowing or overboiling, all auto fill boilers feature a safety cut out.

Choice

Available from 3 litre to 20 litre and in two designs, either counter top or wall mounted, our auto fill boiler range offers something to suit all needs.

Counter top

Designed for ease of use, front or back of house, our auto fill counter top boilers offer features and performance you would only expect from a leading water boiler brand. A stylish and robust two-tone stainless steel design ensures they will look good in any location.

Safety

- A unique patented safety locking tap – an easy to use, non-drip tap with a built-in locking mechanism
- Safety cut out – in the unlikely event of the unit overflowing or overboiling the unit will completely cut out
- Fully EMC tested and CE marked

Temperature

- Constant temperature will always be within 0.75°C of 98°C

Ease of use

- A flat element maximises output and minimises limescale
- Quick and easy access to serviceable parts makes descaling and servicing simple
- Neon indicator lights show when the unit is on and when the water is heating up to temperature
- Operates on standard 230-240v (13 Amp plug)

Choice

- Drip tray can be plumbed into mains drain
- Available in 10 and 20 litres

10L COUNTER TOP

SKU number	444448531
Capacity (litres)	10
Product dimensions (mm)	290w x 495h x 530d†
Packed dimensions (mm)	350w x 560h x 510d
Product weight (kg)	11.2
Packed weight (kg)	14.6
Heating time (mins)	28
Litre output in 1hr*	40



20L COUNTER TOP

SKU number	444448533
Capacity (litres)	20
Product dimensions (mm)	290w x 608h x 530d†
Packed dimensions (mm)	350w x 700h x 510d
Product weight (kg)	13.6
Packed weight (kg)	17.0
Heating time (mins)	48
Litre output in 1hr*	47



*Once ready †Includes drip tray

10L Counter Top

20L Counter Top

Wall mounted

Wall mountable water boilers available in three different sizes from 3 litres to 15 litres are ideal for environments where counter top space is limited. With a constant temperature within 0.75°C of 98°C, boiling water is ready when you are and with a variety of easy to use features, maintenance and service is simple.

Safety

- A unique patented safety locking tap – an easy to use, non-drip tap with a built-in locking mechanism
- Safety cut out – in the unlikely event of the unit overflowing or overboiling the unit will completely cut out
- Fully EMC tested and CE marked

Temperature

- Constant temperature will always be within 0.75°C of 98°C

Ease of use

- A flat element maximises output and minimises limescale
- Quick and easy access to serviceable parts makes descaling and servicing simple – no need to remove the unit from the wall
- Neon indicator lights show when the unit is on and when the water is heating up to temperature
- Operates on standard 230-240v (13 Amp plug)

Choice

- Available in 3, 7.5 and 15 litres

3L WALL MOUNTED

SKU number	444448534
Capacity (litres)	3
Product dimensions (mm)	335w x 378h x 335d
Packed dimensions (mm)	380w x 460h x 400d
Product weight (kg)	10.2
Packed weight (kg)	14.2
Heating time (mins)	10
Litre output in 1hr*	36



7.5L WALL MOUNTED

SKU number	444448546
Capacity (litres)	7.5
Product dimensions (mm)	335w x 466h x 335d
Packed dimensions (mm)	385w x 540h x 400d
Product weight (kg)	11.1
Packed weight (kg)	15.8
Heating time (mins)	20
Litre output in 1hr*	36



15L WALL MOUNTED

SKU number	444448548
Capacity (litres)	15
Product dimensions (mm)	355w x 530h x 355d
Packed dimensions (mm)	410w x 440h x 650d
Product weight (kg)	13.5
Packed weight (kg)	17.0
Heating time (mins)	35
Litre output in 1hr*	47



*Once ready

3L Wall Mounted

7.5L Wall Mounted

15L Wall Mounted

COFFEE. With coffee becoming increasingly popular, it is important that you can offer your customers the perfect cup of coffee. Burco offer a range of coffee makers to suit all environments including offices, cafes and hotels. The stylish and easy to use designs make them perfect for front of house use.

Ease of use

Easy to use and easy to clean, these units are ideal for front of house use.

Design

A stylish stainless steel design makes Burco's coffee range look good in any location.

Performance

Robust construction allows these units to withstand constant use and continue to provide freshly brewed coffee. All coffee units are fully EMC tested and CE marked.

Choice

Our range includes manual and auto fill coffee makers and a coffee percolator, when a large volume of coffee is required in one single use.

Auto fill, manual fill & percolator

There are three options available in our coffee range. An auto fill coffee maker; great for hospitality, a manual fill coffee maker; ideal for front of house use, and a commercial coffee percolator; when coffee is in high demand. So, whatever your requirements we have a coffee unit to suit your needs.

Auto fill coffee maker

- Stylish design, ideal for front of house use
- Quick and easy to clean
- Can be used as an auto fill or manual fill unit
- 2.3 litre high performance stainless steel, glass insulated airpot to maximise heat retention
- Brew through lid on airpot to make filling quick and easy
- Brews 2 litres in less than 6 mins
- Fully EMC tested and CE marked
- Individual airpots available (SKU 444448562)

Manual fill coffee maker

- Stylish design, ideal for front of house use
- Quick and easy to clean
- Manual fill – requires no plumbing, making the unit portable
- Brews 1.7 litres of hot coffee in less than 6 minutes
- Two individually switched hotplates to keep coffee hot and ready for use
- Fully EMC tested and CE marked

Commercial coffee percolator

- Capable of brewing 16 litres (100 cups) in just 65 minutes
- Automatically holds the coffee at the ideal serving temperature for hours
- Coffee basket and sight glass are calibrated in number of cups for ease of filling and best results every time
- Removable sight glass for easy cleaning
- Fully enclosed fine mesh coffee basket
- Safety locking lid handles
- Fully EMC tested and CE marked

AUTO FILL COFFEE MAKER

SKU number	444448557
Capacity (litres)	2
Product dimensions (mm)	205w x 565h x 380d*
Packed dimensions (mm)	260w x 630h x 630d
Product weight (kg)	7.7
Packed weight (kg)	11.0
Brew time (mins)	6



MANUAL FILL COFFEE MAKER

SKU number	444448558
Capacity† (litres)	1.7
Product dimensions (mm)	205w x 435h x 370d**
Packed dimensions (mm)	280w x 500h x 490d
Product weight (kg)	5.8
Packed weight (kg)	8.7
Brew time (mins)	6



COMMERCIAL COFFEE PERCOLATOR

SKU number	444448561
Capacity† (litres)	16
Product dimensions (mm)	330w x 600h x 350d
Packed dimensions (mm)	400w x 630h x 400d
Product weight (kg)	5.1
Packed weight (kg)	6.7
Heating time (mins)	65



*Includes water connection at rear, excludes handle on filter basket.
**Excludes handle on filter basket. †Per jug - 2 jugs are included.

Auto fill coffee maker

Individual airpots available

Manual fill coffee maker

Commercial coffee percolator

SPECIFICATIONS

Manual Fill Model SKU Number	C2T 444448536	C8T 444448535	C10STHF 444448528	C20STHF 444448529	C30STHF 444448530
Product dimensions (mm)					
Width	250	250	305	390	390
Depth	245	245	335	420	420
Height	315	530	380	380	480
Packed dimensions (mm)					
Width	275	270	340	450	450
Depth	275	230	340	450	450
Height	435	590	440	400	510
Product weight (Kg)	1.8	3.0	3.0	4.1	4.5
Packed weight (Kg)	2.7	3.9	3.8	5.1	6.0
Capacity (in litres)	2.5	8	10	20	30
Heating up time (Min)	7	20	25	45	70
Safety tap	No	No	Yes	Yes	Yes
Boil-dry cut-out with manual reset	Yes	Yes	Yes	Yes	Yes
Concealed element	Yes	Yes	Yes	Yes	Yes
Variable thermostat	Yes	Yes	Yes	Yes	Yes
Carry handles	Yes	Yes	Yes	Yes	Yes

Kettle Model SKU Number	2L 444448552	4L 444448553
Product dimensions (mm)		
Width	270	310
Depth	190	230
Height	225	305
Packed dimensions (mm)		
Width	212	270
Depth	212	270
Height	232	325
Product weight (Kg)	1.0	1.8
Packed weight (Kg)	1.2	2.2
Capacity (in litres)	2	4
Heating up time (Min)	5	8
Non-slip feet	Yes	Yes
Detachable power cord	Yes	Yes
Illuminated on/off switch	Yes	Yes
Concealed element	No	Yes
Keep warm element	No	Yes
Secondary handle	No	Yes

Gas Model SKU Number	Standard 444448538	Deluxe 444448539
Product dimensions (mm)		
Width	340	340
Depth	425	425
Height	565	565
Packed dimensions (mm)		
Width	605	605
Depth	400	400
Height	380	380
Product weight (Kg)	5.7	5.7
Packed weight (Kg)	7.0	7.0
Capacity (in litres)	20	20
Heating up time (Min)	50	50
Safety tap	Yes	Yes
Burner control	No	Yes
Securable feet	No	Yes
Ignition	Manual	Piezo
Safety flame supervision device	Yes	Yes
Gas	Propane/Butane	Propane/Butane

Auto Fill Model SKU Number	10L Counter-top 444448531	20L Counter-top 444448533	3L Wall-mounted 444448534	7.5L Wall-mounted 444448546	15L Wall-mounted 444448548
Product dimensions (mm)*					
Width	290	290	335	335	355
Depth	530	530	335	335	355
Height	495	608	378	466	530
Packed dimensions (mm)					
Width	350	350	380	385	410
Depth	510	510	400	400	650
Height	560	700	460	540	440
Product weight (Kg)	11.2	13.6	10.2	11.1	13.5
Packed weight (Kg)	14.6	17.0	14.2	15.8	17.0
Capacity (in litres)	10	20	3.0	7.5	15.0
Heating up time (Min)	28	48	10	20	35
kW rating	3.0	3.0	3.0	3.0	3.0
Output in 1 hour**	40.0	47.0	36	36	47
Safety tap	Yes	Yes	Yes	Yes	Yes
Concealed element	Yes	Yes	Yes	Yes	Yes

Coffee Model SKU Number	Manual Fill 444448558	Auto Fill 444448557	Lever Airpot 444448562	Percolator 444448561
Product dimensions (mm)				
Width	205	205	160	330
Depth	370††	380† ††	215	350
Height	435	565	410	600
Packed dimensions (mm)				
Width	280	260	165	400
Depth	490	630	165	400
Height	500	630	440	630
Product weight (Kg)	5.8	7.7	1.7	5.1
Packed weight (Kg)	8.7	11.0	2	6.7
Capacity (in litres)	1.7‡	2	2.3	16.0
Brew time (Min)	6	6	-	65
kW rating	2.2	2.2	-	1.6

*Includes drip tray on counter-tops. **Once ready. †Includes water connection at rear. ††Excludes handle on filter basket. ‡Per jug. 2 jugs are included.

www.burco.co.uk

After Sales Service
An award winning after sales support team are available 7 days a week, 363 days a year to assist you in the unlikely event that you experience a problem with your purchase.

Glen Dimplex Professional Appliances
Stoney Lane
Prescot
Merseyside
L35 2XW

How to order/Enquiries

Sales
T: 0844 815 3742
F: 0844 815 3748
E: sales@gdpa.co.uk

Spares and After Sales Service
T: 0844 815 3737
F: 0844 248 4123
E: info@gdha.com

GLEN DIMPLEX
PROFESSIONAL APPLIANCES

GDPA operates a policy of continual product improvement and development. Therefore we reserve the right to change the specifications of any product without prior notice. All dimensions in this publication are approximate.

September 2008/01

Working Together